



曳引机测试台

Traction machine test bench

制动器测试台

Brake test bench

主驱动制动器测试台

Main drive brake test bench

扭矩传感器 / 采集仪表 / 测试软件

Torque sensor / Acquisition instrument / Test software

兰菱 曳引机测试台

Lanmec Traction machine test bench

江苏兰菱科技股份有限公司
Jiangsu Lanmec Technology Co., Ltd.

江苏 (总部)

Jiangsu (Headquarters)

地址: 江苏省海安市隆安北路222号

Add: 222 Long'an North Road, Haian, Jiangsu, China

Tel: 0086-513-88801555 Fax: 0086-513-88801556

E-mail: lanmec@lanmec.com

北京分公司

Beijing (Branch Office)

地址: 北京市建国路126号瑞赛大厦15A层

Add: 15A Floor, Ruisai building,

126 Jianguo Road, Beijing

Tel: 0086-10-85082981 Fax: 0086-10-65670181

上海 (办事处)

Shanghai (Office)

地址: 上海市安远路728号

Add: NO.728 Anyuan Road, Shanghai City

Tel: 0086-21-52992939 Fax: 0086-21-52992539

深圳 (办事处)

Shenzhen (Office)

地址: 深圳市南山区科技南十二路中国检验认证大厦1202

Add: 1202, China Inspection and Certification Building, Keji South

12th Road, Nanshan District, Shenzhen

Tel: 0086-755-23029266 Fax: 0086-755-23029566

关于兰菱

About Lanmec

公司创建于2002年，公司职工近200人，研发人员50多名，厂房30000平方米，研发大楼1栋。

公司是国家专精特新“小巨人”企业，国家高新技术企业，酒泉卫星发射中心关键设备供应商，江苏省研究生工作站。公司通过ISO9001、ISO14001、ISO45001体系认证，欧盟CE。

公司拥有江苏省扭矩测控技术研发中心、扭矩传感器事业部、测功设备事业部、张力事业部，从研发到铸造、精密加工、精密组装、仪表软件开发、设备调试服务形成全闭环，质量、交期、技术保障均得到最大保证。

公司拥有深厚的技术研发、全产业链规模化生产制造能力，可提供响应及时、全程安心的售后服务支持。均为公司赢得了大量的客户，遍及中国、美国、德国、意大利、日本、印度、泰国、马来西亚等国家，产品在世界知名大专院校、研究所、军工企业、工业企业中大量使用，享有较高的声誉。

公司总部位于中国江苏省海安市，高铁直达上海只需1小时，北京4小时。在深圳、上海、北京设有分公司，极大地方便了客户进行当面技术沟通和售后服务，热烈欢迎各位新老客户莅临指导，为兰菱科技实现更大、更远目标建言献策！

Lanmec Technology was founded in 2002 and has nearly 200 employees and more than 50 R&D personnel, with a workshop of 30000 square meters and a research and development building.

Lanmec Technology is a national specialized and innovative "little giant" enterprise, a national high-tech enterprise, a key equipment supplier for the Jiuquan Satellite Launch Center, and a postgraduate workstation in Jiangsu Province. Lanmec Technology has passed ISO9001, ISO14001, ISO45001 system certification, EU CE.

Lanmec Technology has Jiangsu Province Torque Measurement and Control Technology R&D Center, Torque Sensor Division, Dynamometer Division, and Tension Division. From R&D to casting, precision machining, precision assembly, instrument software development, and equipment debugging services, it forms a fully closed loop with quality and delivery services. Both the period and the technical guarantee are guaranteed.

Lanmec has profound technical research and development capabilities, as well as large-scale production and manufacturing capabilities across the entire industry chain, and can provide timely and reliable after-sales service support. All of them have won a large number of customers for the company, covering countries such as China, the United States, Germany, Italy, Japan, India, Thailand, Malaysia, etc. The products are widely used in world-renowned universities, research institutes, military enterprises, and industrial enterprises, enjoying a high reputation.

Lanmec Technology headquartered is in Hai'an City, Jiangsu Province, China. It only takes 1 hour to reach Shanghai by high-speed train and 4 hours to Beijing. There are branches in Shenzhen, Shanghai, and Beijing, which greatly facilitates customer's face-to-face technical communication and after-sales service. Warmly welcome all new and old customers to visit and guide, and provide advice and suggestions for Lanmec Technology to achieve greater and farther goals!



公司俯瞰
Company overlook



精密加工车间
Precision machining workshop



生产现场一角
A corner of the production site



CNAS实验室 (扭矩/转速)
CNAS laboratory (torque/speed)




知名客户

测功机行业领导者，全球客户超10,000家
Leader in dynamometer, over 10,000 clients worldwide



中航工业 中国兵器工业集团有限公司
CHINA NORTH INDUSTRIES GROUP CORPORATION LIMITED





Torque measuring range 0.01~2000kN.m
Speed measurement range 0.01~100kRPM
Measurement accuracy $\pm 0.1\%F.S$ $\pm 0.2\%F.S$
Can output voltage, current, frequency signal,
RS485 communication
Power supply DC24V, $\pm DC15V$




转矩转速功率测试软件
Torque speed power test software




TR-3S 转矩转速功率采集仪
TR-3S torque speed power acquisition instrument

扭矩测量范围0.01~2000kN.m
转速测量范围0.01~100kRPM
测量精度 $\pm 0.1\%F.S$ $\pm 0.2\%F.S$
可输出电压、电流、频率信号，RS485通讯
供电DC24V、 $\pm DC15V$




知名客户

西子奥的斯、蒂森克虏伯、上海迅达、上海三菱、焦作制动器等




知名客户

杭州西子、苏州康力等





主驱动制动器扭矩测试报告



时间（s）	合格转矩上限（N.m）	实测转矩（N.m）	合格转矩下限（N.m）
0	12228	11455	10417
5.1	12228	11832	10417
10.1	12228	12056	10417
15.1	12228	11886	10417
20.1	12228	11667	10417
25.1	12228	11752	10417
30.1	12228	11822	10417
35.1	12228	11757	10417
40.1	12228	11743	10417
45.1	12228	11901	10417
50.2	12228	11746	10417
55.2	12228	12162	10417
60	12228	12139	10417

知名客户

西子奥的斯、蒂森克虏伯、上海迅达、上海三菱、成都特检院等



名称	电压(V)	电流(A)	输入功率(kW)	转矩(N.m)	转速(rpm)	输出功率(kW)	效率(%)	功率因数	频率(Hz)
起始点	193.15	11.94	0.7029	0	1499.1	0	0	0.176	50
额定点	190.84	43.84	13.043	73.09	1437.3	11	84.33	0.9	50
最大转矩	190.16	63.34	18.7181	102.06	1398.1	14.9414	79.82	0.897	50
最大输出功率	190.16	63.34	18.7181	102.06	1398.1	14.9414	79.82	0.897	50
最大效率	191.26	32.22	9.4291	53.478	1457.1	8.1595	86.54	0.883	50
结束点	190.16	63.34	18.7181	102.06	1398.1	14.9414	79.82	0.897	50